



AV1-1 HEPA Air Operated Industrial HEPA Vacuums Published on PrestiVac Inc (https://prestivac.com)





Published on PrestiVac Inc (https://prestivac.com)



Industrial Vacuums for Hazardous Materials

Compressed Air Industrial **HEPA** Plus* Vacuums

PrestiVac Compressed Air Industrial **HEPA**^{Plus*} Vacuums are specifically designed to safely vacuum toxic, nuisance, hazardous dusts. Absolute **HEPA**^{Plus*} filtration with an efficiency of 99.995% @ 0.2 micron captures all of the hazardous dust and ensures the exhaust air is clean, keeping the operator and the environment safe from exposure and contamination.

Features:

- Powerful Suction High Performance
- Air operated Pneumatic unit with no electrical components or moving parts so it can run continuously and



Published on PrestiVac Inc (https://prestivac.com)

- will not overheat or breakdown
- · Static dissipating ESD safe
- · All Stainless steel construction makes it a solid unit that is easy to clean and sterilize
- Complete with static dissipating suction hose and accessories
- Quiet operation with only 72 dB

Filtration System:

- Washable, reusable main filter for dust and solids
- **HEPA** Filtration with an efficiency of 99.995% @ 0.2 micron. Testing Method: IEST RP-CC034.3. H14. MIL-STD 282 / A.S.T.M. D2986-91. MPPS method EN 1822.

Applications:

- Debris
- Dust
- Machine shops
- Maintenance/House keeping
- · Metal Chips

Specifications:

Specifications.	
Model	AV1-1 HEPA
Air Flow (CFM)	120
Vacuum Pressure (H20)	200
Collection Type	Dry
Capacity (gal)	1
dB(A) @ 6 ft	72 dB
Air Line Size (I.D.)	0.5"
Input Pressure (PSI)	80 to 100
Input Air Flow (CFM)	35

^{**}Optional 3/8" (9.5 mm) I.D. Air Line Configuration Also Available**

Included Accessories:

- Suction hose assembly 1.25" (38mm) x 10' (3m)
- Air Suction hose assembly 0.5" x 25'
- Floor tool
- · Crevice tool
- · Round brush

Optional Accessories:

- · Extension wand
- Single bend wand
- Flat tool
- Wall brush



Published on PrestiVac Inc (https://prestivac.com)

Filtration Options:

• **ULPA** Filtration with an efficiency of 99.9995% @ 0.12 micron. Testing Method: IEST RP-CC034.3. H15. MIL-STD 282 / A.S.T.M. - D2986-91. MPPS method EN 1822.

If you have a special application or specific requirement, please feel free to contact us. As manufacturers, we can modify our units to meet your specific needs.

Hepa Vacuums, AIR OPERATED